



HERO
eco med



MEDICAL EQUIPMENT CATALOGUE

INTRODUCTION

Hero Eco Med Pvt. Ltd. is built on the trusted legacy of the **Hero Eco Group** – shaped by seven decades of innovation, quality, and reliability, committed to transforming lives through purposeful engineering.



Dignity Through Mobility

Established in 2011, we build advanced medical mobility equipment designed to enhance independence, comfort, and dignity with reliable, world-class healthcare solutions.



Our Global Reach

We serve users across India and key markets in Asia, the Middle East, and Africa while upholding the Hero promise of quality and innovation worldwide.

PRODUCT CATEGORIES

The product range comprises of clinical beds in motorized and manually operated versions, exam couches, and stretchers and other medical furniture. Hero Eco Med manufacture mobility aids range like electric wheelchairs, manual wheelchairs, walkers, walking sticks, etc. for both domestic and hospital usage as well.



WHEELCHAIRS



WALKERS



WALKING STICK



COMMODE CHAIRS



CLINICAL BEDS



BEDSIDE LOCKERS



EXAMINATION TABLES



STRETCHERS

ELECTRIC WHEELCHAIRS



MHL 1007-A



MHL 1007



MHL 1007-X



MHL 1007-A

POWERED
WHEELCHAIR

DIMENSIONS

Overall Length	958 mm
Overall Height	885 mm
Overall Width Folded	380 mm
Overall Width Open	690 mm
Seat Height From Footrest	335 mm
Seat Height From Ground	450 mm
Armrest Height From Seat	250 mm
Ground Clearance	45 mm
Ground Clearance from Footrest	140 mm
Front Wheel	204 mm
Rear Wheel	12.5" x 2 1/4"
Seat Width	470 mm

GENERAL SPECIFICATIONS

Propulsion System	Battery Operated
Motor Rating	DC 250Watt x 2 pc
Battery	LA battery 12V 14AHr x 2pcs 10-15 Km in a single charge
Maximum Speed	6 Km/hr
Frame	Strong MS Frame
Upholstery	Detachable soft sandwich mesh fabric cushion , double layer
Weight Capacity	Up to 80 Kg
Net Weight	31.2 Kg
Front Wheel	Mag Design Solid Rubber
Rear Wheel	Mag Wheel Solid Rubber
Foldable / Fixed	Foldable
Foot Rest	Plastic
Back Rest	Flippable
Armrest	Flippable
Head Rest	No
Anti Tip Provision	Yes With Castors
Propelling Ring	No
Manual Brakes	Yes
Attendant Brakes	No
Push Handles	Yes
Provision Of Commode	No



This Electric wheelchair is made of strong frame with robust design and aesthetic use of polymer foot rest. Reinforced double cross design ensures extra durability and safety.

Its ergonomically designed interchangeable joystick for effortless experience and ease of operation with feather touch 5 speed controller, with 360 degrees turning capacity.



The rear wheels are of 12.5 inches for ease of maneuverability on all kind of surfaces and front wheels of 8 inches made of solid rubber for excellent control and stability at maximum speed of 6 km/hour. It allows a uphill up to 8 degrees' inclination, with electromagnetic braking mechanism.



MHL 1007 is a foldable power wheelchair with contemporary design. It is a cost-effective solution for the people with mobility issues, fatigue, neuromuscular disorders or cardiovascular disorders. It comes with a battery that can be removed easily, foldable backrest and fire-retardant antibacterial upholstery.

LA Battery

MRP: Rs 1,05,000/-

LFP Battery

MRP: Rs 1,25,000/-



MHL 1007
POWERED WHEELCHAIR

MHL 1007

POWERED
WHEELCHAIR

DIMENSIONS

Overall Length	1070 mm
Overall Height	965 mm
Overall Width Folded	420 mm
Overall Width Open	620 mm
Seat Height From Footrest	465 mm
Seat Height From Ground	490 mm
Armrest Height From Seat	220 mm
Ground Clearance	50 mm
Ground Clearance from Footrest	185 mm
Front Wheel	10" / 250 mm
Rear Wheel	16" / 405 mm
Seat Width	435 mm

GENERAL SPECIFICATIONS

Propulsion System	Motorized
Motor Rating	250 Watts
Battery	Lead Acid (24V/12AH) / Lithium Ion (LFP 25.9V 12AH)
Maximum Speed	6 Km/Hr
Frame	Strong MS Frame
Upholstery	Canvas with Cushion, Antimicrobial & Fire-retardant
Weight Capacity	Up to 100 Kg
Net Weight	43.75 Kg (Lead Acid) 38.58 Kg (Lithium)
Front Wheel	Mag Design Solid Rubber
Rear Wheel	Metal Rim With Pneumatic tyre tube
Foldable / Fixed	Foldable
Foot Rest	Polymer And Detachable
Back Rest	Foldable
Armrest	Cushioned, Flip-up, Non-detachable
Head Rest	No
Anti Tip Provision	Yes With Castors
Propelling Ring	No
Manual Brakes	Anti Skid Braking System
Attendant Brakes	No
Push Handles	Yes With PVC Grip
Provision Of Commode	No





MHL 1007 X is an aesthetically designed foldable powered wheelchair in lightweight aluminium frame making it weigh only 17.76 kgs. It is a cost-effective solution for the people with mobility issues, fatigue, neuromuscular disorders or cardiovascular disorders. It comes with a slim battery docked under the seat for ease of installation. The upholstery is made of rexine that provides comfort of 15 inches' width.

MRP: Rs 1,45,000/-



MHL 1007 X

LIGHTWEIGHT FOLDABLE ELECTRIC WHEELCHAIR

MHL 1007 X

LIGHTWEIGHT FOLDABLE
ELECTRIC WHEELCHAIR

DIMENSIONS

Overall Length	850 mm
Overall Height	960 mm
Overall Width Folded	440 mm
Overall Width Open	550 mm
Seat Height From Footrest	400 mm
Seat Height From Ground	520 mm
Armrest Height From Seat	235 mm
Ground Clearance	50 mm
Ground Clearance from Footrest	210 mm
Front Wheel	7" / 177 mm
Rear Wheel	9" / 226 mm
Seat Width	380 mm

GENERAL SPECIFICATIONS

Propulsion System	Motorized & Battery Operated
Motor Rating	DC 180 Watt x 2 pc
Battery	25.6 V 8 Ah
Maximum Speed	6 Km/hr
Frame	Aluminium frame
Upholstery	Rexine
Weight Capacity	Up to 100 Kg
Net Weight	17.76 Kg
Front Wheel	Mag Design PP Castor
Rear Wheel	Mag Design PP Castor
Foldable / Fixed	Foldable
Foot Rest	Metal
Back Rest	Flip-able
Armrest	PU-Paded
Head Rest	No
Anti Tip Provision	Yes
Propelling Ring	No
Manual Brakes	Yes
Attendant Brakes	No
Push Handles	Yes
Provision Of Commode	No
Calf Strap	Yes



Its ergonom

MHL 1001

MANUAL BLACK WHEELCHAIR

DIMENSIONS

Overall Length	1060 mm
Overall Height	895 mm
Overall Width Folded	280 mm
Overall Width Open	680 mm
Seat Height From Footrest	430 mm
Seat Height From Ground	480 mm
Armrest Height From Seat	310 mm
Ground Clearance	70 mm
Ground Clearance from Footrest	105 mm
Front Wheel	197 mm
Rear Wheel	615 mm
Seat Width	510 mm

GENERAL SPECIFICATIONS

Propulsion System	Manual
Frame	Powder Coated MS Frame
Upholstery	Canvas, Antimicrobial
Weight Capacity	UPTO 100 Kg
Net Weight	13.1
Front Wheel	Pp Castor
Rear Wheel	Spoke Tyre
Foldable / Fixed	Foldable
Foot Rest	Polymer And Detachable
Back Rest	Non Reclining / Foldable
Armrest	Cushioned, Non-detachable
Head Rest	No
Anti Tip Provision	No
Propelling Ring	Yes, Powder coated
Manual Brakes	Anti Skid Braking System
Attendant Brakes	No
Push Handles	Yes with PVC Grip
Provision Of Commode	No
Calf Strap	Yes
Color Options	Black

Smooth and strong propelling ring for sound grip and reduced effort, optimized for 11'o clock to 2'o clock pushing ark.





MHL 1002-CP

COMMODE WHEELCHAIR WITH MAG WHEELS (POWDER COATED)

DIMENSIONS

Overall Length	940 mm
Overall Height	890 mm
Overall Width Folded	280 mm
Overall Width Open	650 mm
Seat Height From Footrest	425 mm
Seat Height From Ground	520 mm
Armrest Height From Seat	285 mm
Ground Clearance	70 mm
Ground Clearance from Footrest	110 mm
Front Wheel	196 mm
Rear Wheel	24"
Seat Width	450 mm

GENERAL SPECIFICATIONS

Propulsion System	Manual
Frame	Powder Coated MS Frame
Upholstery	PVC, Antimicrobial and Fire-retardant
Weight Capacity	UPTO 100 Kg
Net Weight	17.88 Kg
Front Wheel	Pp Castor
Rear Wheel	Mag wheel with rubberTyre
Foldable / Fixed	Foldable
Foot Rest	Polymer
Back Rest	Non Reclining / Foldable
Armrest	Cushioned, Non-detachable
Head Rest	No
Propelling Ring	Yes, Plastic
Manual Brakes	Anti Skid Braking System
Attendant Brakes	No
Push Handles	Yes with PVC Grip
Provision Of Commode	Yes
Calf Strap	Yes

Smooth and strong propelling ring for sound grip and reduced effort, optimized for 11'o clock to 2'o clock pushing ark.



MHL



MHL 1006 is ergonomically designed chrome finish commode recliner wheelchair with strong, flexible and antibacterial upholstery providing comfort of 18 inches' width.

MRP: Rs 26,000/-



MHL 1006

MANUAL RECLINING COMMUNE WHEELCHAIR

MHL 1006

MANUAL RECLINING COMMODE WHEELCHAIR

DIMENSIONS

Overall Length	1140 mm
Overall Height	1180 mm
Overall Width Folded	330 mm
Overall Width Open	655 mm
Seat Height From Footrest	470 mm
Seat Height From Ground	480 mm
Armrest Height From Seat	245 mm
Ground Clearance	45 mm
Ground Clearance from Footrest	95 mm
Front Wheel	200 mm
Rear Wheel	24"
Seat Width	440 mm

GENERAL SPECIFICATIONS

Propulsion System	Manual
Frame	Chrome plated Strong Frame
Upholstery	PVC , Antimicrobial & Fire-retardant
Weight Capacity	UPTO 100 Kg
Net Weight	24.9 Kg
Front Wheel	Mag design Solid Rubber
Rear Wheel	14g S.S. Spoke Rim with Braided Tyres
Foldable / Fixed	Foldable
Foot Rest	Elevating, Metallic And Detachable
Back Rest	Reclining and Foldable
Armrest	Cushioned, Detachable
Head Rest	Yes, with Neck Cushion
Propelling Ring	Yes
Manual Brakes	Anti Skid Braking System
Attendant Brakes	Yes
Push Handles	Yes with PVC Grip
Provision Of Commode	Yes
Calf Strap	Yes

Supine position can be attained within seconds up to 180 degrees reclining with optimized center of gravity and mimics the comfort of bed. Smooth and shiny steel finish propelling ring. U-cut seat, with microbe resistant pan with lid, is easily removable and cleanable.



MHL 1008-A ultra-light aluminum alloy wheelchair comes with strong, flexible, fire-retardant and antibacterial upholstery providing comfort of 17.7 inches' width.

MRP: Rs 20,000/-



MHL 1008-A
MANUAL ALUMINIUM WHEELCHAIR

MHL 1008-A

MANUAL ALUMINIUM
WHEELCHAIR

DIMENSIONS

Overall Length	910 mm
Overall Height	890 mm
Overall Width Folded	250 mm
Overall Width Open	540 mm
Seat Height From Footrest	480 mm
Seat Height From Ground	460 mm
Armrest Height From Seat	200 mm
Ground Clearance	90 mm
Ground Clearance from Footrest	90 mm
Front Wheel	150 mm
Rear Wheel	16x1 3/8
Seat Width	450 mm

GENERAL SPECIFICATIONS

Propulsion System	Manual
Frame	Aluminium frame with MS cross tubes
Upholstery	Canvas, Antimicrobial & Fire-retardant
Weight Capacity	Up to 100 Kg
Net Weight	9.840 Kg
Front Wheel	Mag Design PP Castor
Rear Wheel	Mag Wheel with Solid Tyre
Foldable / Fixed	Foldable
Foot Rest	Polymer And Flipable
Back Rest	Flip/Foldable
Armrest	PU-Moulded, Non-detachable
Head Rest	No
Anti Tip Provision	No
Propelling Ring	No, Attendant Required
Manual Brakes	Anti Skid Braking System
Attendant Brakes	Yes
Push Handles	Yes with PVC Grip
Provision Of Commode	No
Calf Strap	Yes



Flip back cushioned arm rest gives ease of access.

MHL 1008-B

MANUAL ALUMINIUM
WHEELCHAIR

DIMENSIONS

Overall Length	1000 mm
Overall Height	885 mm
Overall Width Folded	285 mm
Overall Width Open	635 mm
Seat Height From Footrest	490 mm
Seat Height From Ground	460 mm
Armrest Height From Seat	200 mm
Ground Clearance	90 mm
Ground Clearance from Footrest	90 mm
Front Wheel	150 mm
Rear Wheel	20x1 3/8
Seat Width	450 mm

GENERAL SPECIFICATIONS

Propulsion System	Manual
Frame	Aluminium frame with MS cross tubes
Upholstery	Canvas, Antimicrobial & Fire-retardant
Weight Capacity	Up to 100 Kg
Net Weight	10.620 Kg
Front Wheel	Mag Design PP Castor
Rear Wheel	Spoke Assembly
Foldable / Fixed	Foldable
Foot Rest	Polymer And Flipable
Back Rest	Flip/Foldable
Armrest	PU-Moulded, Non-detachable
Head Rest	No
Anti Tip Provision	No
Propelling Ring	Yes with plastic
Manual Brakes	Anti Skid Braking System
Attendant Brakes	Yes
Push Handles	Yes with PVC Grip
Provision Of Commode	No
Calf Strap	Yes



Flip back cushioned arm rest gives ease of access. Smooth powder coated propelling ring for strong grip.

MHL 2002-Mi

WALKER WITH WHEELS - MATTE FINISH

DIMENSIONS

Minimum Height (mm)	785 mm
Maximum Height (mm)	960 mm
Frontal Width when folded (mm)	590 mm
Lateral Width (mm)	500 mm
Lateral Width when folded (mm) Front view	610 mm
Lateral Width when folded (mm) Top View	105 mm

GENERAL SPECIFICATIONS

Height Variation Options	8
Material of Frame	Al. TFS with MS Cross Brace
Material of Hand Grip	Foam Padded
Rear Leg Rubber Shoes	Yes
Front Leg Wheels	Yes
Reciprocal	Yes
Color Options	Matte finish
Net Weight (in Kgs)	2.56 Kgs
Weight bearing Capacity (in Kgs)	100 Kgs



It gives a balanced walking posture in reciprocal mode and can be switched easily to normal mode.



Foam handgrip and high grade rubber shoes gives maximum stability with steadiness of lightweight aluminum frame.



Height can be adjusted with 8 presets to give optimal height as per patient's requirements.

Folds with single push button. Available in elegant matte finish that makes it class apart.

MHL 2002-M

WALKER WITH MATTE FINISH

DIMENSIONS

Minimum Height (mm)	780 mm
Maximum Height (mm)	950 mm
Frontal Width when folded (mm)	530 mm
Lateral Width (mm)	470 mm
Lateral Width when folded (mm) Front view	530 mm
Lateral Width when folded (mm) Top View	90 mm

GENERAL SPECIFICATIONS

Height Variation Options	8
Material of Frame	Al. TFS with MS Cross Brace
Material of Hand Grip	Foam Padded
Rear Leg Rubber Shoes	Yes
Front Leg Wheels	No
Reciprocal	Yes
Color Options	Matte finish
Net Weight (in Kgs)	2.24 Kgs
Weight bearing Capacity (in Kgs)	100 Kgs



It gives a balanced walking posture in reciprocal mode and can be switched easily to normal mode.



Foam handgrip and high grade rubber shoes gives maximum stability with steadiness of lightweight aluminum frame.



Height can be adjusted with 8 presets to give optimal height as per patient's requirements.

Folds with single push button. Available in elegant matte finish that makes it class apart.

MHL 2002-G

WALKER WITH GLOSS FINISH

DIMENSIONS

Minimum Height (mm)	780 mm
Maximum Height (mm)	950 mm
Frontal Width when folded (mm)	530 mm
Lateral Width (mm)	470 mm
Lateral Width when folded (mm) Front view	530 mm
Lateral Width when folded (mm) Top View	90 mm

GENERAL SPECIFICATIONS

Height Variation Options	8
Material of Frame	Al. TFS with MS Cross Brace
Material of Hand Grip	Foam Padded
Rear Leg Rubber Shoes	Yes
Front Leg Wheels	No
Reciprocal	Yes
Color Options	Glossy finish
Net Weight (in Kgs)	2.28 Kgs
Weight bearing Capacity (in Kgs)	100 Kgs



It gives a balanced walking posture in reciprocal mode and can be switched easily to normal mode.



Foam handgrip and high grade rubber shoes gives maximum stability with steadiness of lightweight aluminum frame.



Height can be adjusted with 8 presets to give optimal height as per patient's requirements.

Folds with single push button. Available in elegant glossy finish that makes it class apart.

MHL 2014

RECIPROCATING WALKER

DIMENSIONS


Minimum Height (mm)	770 mm
Maximum Height (mm)	950 mm
Frontal Width when folded (mm)	545 mm
Lateral Width (mm)	520 mm
Lateral Width when folded (mm) Front view	505 mm
Lateral Width when folded (mm) Top View	85 mm

GENERAL SPECIFICATIONS

Height Variation Options	8
Material of Frame	Aluminium
Material of Hand Grip	Foam Padded
Rear Leg Rubber Shoes	Yes
Front Leg Wheels	No
Reciprocal	Yes
Color Options	Copper Brown
Net Weight (in Kgs)	2.24 Kgs
Weight bearing Capacity (in Kgs)	100 Kgs



It gives a balanced walking posture in reciprocal mode and can be switched easily to normal mode.



Black foam handgrip and high grade rubber shoes gives maximum stability with steadiness of lightweight aluminum frame.



Height can be adjusted with 8 presets to give optimal height as per patient's requirements.

Folds with single push button. Available in elegant brown color for that makes it class apart.

MHL 2017

STAINLESS STEEL WALKER

DIMENSIONS

Minimum Height (mm)	740 mm
Maximum Height (mm)	840 mm
Frontal Width (mm)	540 mm
Lateral Width (mm)	490 mm
Lateral Width when folded (mm) Front view	535 mm
Lateral Width when folded (mm) Top view	100 mm

GENERAL SPECIFICATIONS

Height Variation Options	6
Material of Frame	Stainless Steel (SS)
Material of Hand Grip	Foam
Rear Leg Rubber Shoes	Yes
Front Leg Wheels	No
Reciprocal	Yes
Color Options	Steel
Net Weight (in Kgs)	2.36 Kgs
Weight bearing Capacity (in Kgs)	100 Kgs



Foam handgrip and high grade rubber shoes gives maximum stability with steadiness of Stainless Steel frame.

Double bar gives maximum support to heavy patient.



Height can be adjusted with 6 presets to give optimal height as per patient's requirements.

Available in steel finish color. Folding enabled with single push button.

MHL 2018

WALKER

DIMENSIONS

Minimum Height (mm)	780 mm
Maximum Height (mm)	885 mm
Frontal Width (mm)	505 mm
Frontal Width when folded (mm)	490 mm
Lateral Width (mm)	470 mm
Lateral Width when folded (mm)	90 mm


GENERAL SPECIFICATIONS

Height Variation Options	5
Material of Frame	Mild Steel (MS)
Material of Hand Grip	Polymer
Rear Leg Rubber Shoes	Yes
Front Leg Wheels	No
Reciprocal	No
Color Options	Grey and Black
Net Weight (in Kgs)	3.040 Kgs
Weight bearing Capacity (in Kgs)	100 Kgs



PVC handgrip and high grade rubber shoes gives maximum stability with steadiness of powder coated MS frame.

Double bar gives maximum support to heavy patient.



Height can be adjusted with 5 presets to give optimal height as per patient's requirements.

Available in black and grey colours. Folding enabled

